## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

Claim 1 (currently amended): A method for resynchronizing a primary volume in a primary system and a secondary volume in a secondary system over a network, comprising:

when a network connection between the primary system and the secondary system is interrupted:

creating a snapshot of the primary volume, the snapshot identifying only original data from the primary volume that are overwritten after the snapshot is created;

determining data updates transmitted from the primary system to the secondary system that were not acknowledged by the secondary system;

when the network connection is reestablished:

<u>based on the snapshot</u>, determining <del>differences between the snapshot and the primary volume, wherein the differences comprise <u>new</u> data <u>written to</u> [[in]] the primary volume <del>that were changed</del> between when the network connection is interrupted and reestablished; and</del>

transmitting the differences new data and the unacknowledged data updates from the primary system to the secondary system.

Claim 2 (currently amended): The method of claim 1, further comprising, when the network connection is reestablished, updating the secondary volume with the differences new data and the unacknowledged data updates, wherein the secondary volume becomes an updated copy of the primary volume.

Claim 3 (original): The method of claim 1, prior to said creating a snapshot, further comprising blocking writes to the primary volume.

Claim 4 (original): The method of claim 3, after said creating a snapshot and said determining data updates, further comprising resuming writes to the primary volume.

Claim 5 (original): The method of claim 1, further comprising deleting the snapshot after said transmitting.

Claim 6 (currently amended): The method of claim 1, wherein said determining differences between the snapshot and the primary volume new data comprises;

looking up searching for exceptions in exception tables in the snapshot, wherein the exception tables only identify the original data that were (1) in the primary volume at a time the snapshot was created and (2) later overwritten after the snapshot was created; and based on the original data in the snapshot, looking up the new data in the primary volume that

correspond to the original data.

Claim 7 (currently amended): A method for resynchronizing a primary volume in a primary system and a secondary volume in a secondary system over a network, comprising:

when a network connection between the primary system and the secondary system is interrupted:

blocking writes to the primary volume;

creating a snapshot of the primary volume, the snapshot identifying only original data from the primary volume that are overwritten after the snapshot is created;

resuming writes to the primary volume;

when the network connection is reestablished:

<u>based on the snapshot</u>, determining differences between the snapshot and the primary volume, wherein the differences comprise new data <u>written to</u> [[in]] the primary volume that were changed between when the network connection is interrupted and reestablished, <u>said determining comprising</u>:

searching for exceptions in exception tables in the snapshot, wherein the exception tables only identify the original data that were (1) in the primary volume at a time the snapshot was created and (2) later overwritten after the snapshot was created;

based on the original data in the snapshot, looking up the new data in the primary volume that correspond to the original data; transmitting the differences new data and the unacknowledged data updates from the primary system to the secondary system;

updating the secondary volume with the <u>differences new data</u> and the unacknowledged data updates, wherein the secondary volume becomes an updated copy of the primary volume; and

deleting the snapshot after said transmitting.